Jeffries, Dawn (DEQ)

From:

Jeffries Dawn (DEQ)

Sent:

Wednesday, June 11, 2014 9:53 AM

To:

'Jean Andrews'

Subject:

Fishersville Regional STP, VPDES Permit No. VA0025291, Augusta County

Dear Ms. Andrews:

Your application has been reviewed and appears to be complete. The waiver you requested from sampling and reporting chlorine has been granted. The next steps involve assembling the information necessary to develop the permit limitations and then drafting the permit. Once the draft permit is prepared and the appropriate reviews are performed. I will transmit the draft permit and supporting documentation to you for review. I expect to have this draft permit package to you within the next 3 months.

The Department of Environmental Quality strives to complete the permitting process in a timely manner. If you have any questions about our procedures or the status of your draft permit, please do not hesitate to contact us.

Sincerely,
Dawn Jeffries
VA Dept. of Environmental Quality
Valley Regional Office
P.O. Box 3000
Harrisonburg, Virginia 22801
540-574-7898
dawn.jeffries@deq.virginia.gov

MEMORANDUM

DEPARTMENT OF ENVIRONMENTAL QUALITY

VALLEY REGIONAL OFFICE

4411 Early Road - P.O. Box 3000

Harrisonburg, VA 22801

SUBJECT:

Application Errata for VPDES Permit No. VA0025291, Fishersville Regional STP,

Augusta County

TO:

PP File

FROM:

Dawn Jeffries

DATE:

June 10, 2014

The following deficiencies were noted in the subject permit reissuance application:

Form 2A

Item A.12. E.coli data was submitted in lieu of fecal coliform. This is allowable.

Item B.6. A waiver is requested and granted for chlorine since the facility uses UV disinfection.

Item A.3. The NPDES permit is VA0025291.

Application Addendum

Item 5. "Yes" should be indicated.

Item 6. The wastewater is generated by facilities using a public sewer.

The deficiencies noted are insignificant and will not affect the preparation of a legally and technically defensible draft permit.

Reviewer Concurrence: <u>Buc 6/11/14</u>

AUGUSTA COUNTY SERVICE AUTHORITY



DEQ VALLEY

18 GOVERNMENT CENTER LANE, P.O. BOX 859, VERONA, VIRGINIA 24482 (540) 245-5670 FAX: (540) 245-5684

June 3, 2014

Ms. Dawn Jeffries Department of Environmental Quality P. O. Box 3000 Harrisonburg, VA 22801-3000

RE: Fishersville Regional STP Permit Application (VPDES Permit NumberVA0025291)

Dear Ms. Jeffries:

Enclosed is the original permit application for the Fishersville Regional STP.

The Augusta County Service Authority submitted E Coli data in lieu of fecal coliform data on Part 2A, Section A12. The Water Quality Standards now specify E Coli to be tested in lieu of fecal coliform. A waiver is requested for chlorine in Form 2A, Section B6. This facility now uses ultraviolet light for disinfection instead of chlorine. Chlorine is not used in any of the processes.

The Sewage Sludge Permit Application requires an acceptance letter from the receiving facility. The Augusta County Service Authority owns and operates the receiving facility site; therefore, a letter has not been included with this application.

One test result has been included for Oil and Grease (O&G) and Total Dissolved Solids (TDS). The plant has been upgraded to Enhanced Nutrient Removal (ENR) and there is no reason to believe that the results would be significantly different for these parameters than earlier tests. Previous results for average daily discharge concentrations were 1 mg/L and 386 mg/L for O&G and TDS, respectively.

With regards to the Industrial Pretreatment Program, no new significant industrial users have been permitted for this system.

If you have any questions, please contact me at (540) 245-5677.

Sincerely,

Jean E. Andrews

Lab and Compliance Manager

lean andrew



VPDES Permit Application Addendum

| 1. | Entity to whom the permit is to be issued: Augusta County Service Authority |
|----|--|
| | Who will be legally responsible for the wastewater treatment facilities and compliance with the permit? This may not be the facility or property owner. |
| 2. | Is this facility located within city or town boundaries? YES V NO |
| | Include a topographic map identifying the location of the facility, the property boundaries, and the discharge point |
| 3. | What is the tax map parcel number for the land where this facility is located? 56-138F |
| 4. | For the facility to be covered by this permit, how many acres will be disturbed during the next five years due to new construction activities? 0 |
| 5. | ALL FACILITIES: What is the design average flow of this facility? 4.0 MGD Industrial facilities: What is the maximum 30-day avg. production level (include units)? |
| | In addition to the above design flow or production level, should the permit be written with limits for any other discharge flow tiers or production levels? \square YES \square NO |
| | If "Yes", please specify the other flow tiers (in MGD) or production levels: 2.0 MGD Please consider: Is your facility's design flow considerably greater than your current flow? Do you plan to expand operations during the next five years? |
| 6. | Nature of operations generating wastewater: |
| | 85 % of flow from domestic connections/sources Number of private residences to be served by the wastewater treatment facilities: □ 0 □ 1-49 ☑ 50 or more |
| | % of flow from non-domestic connections/sources |
| 7. | Mode of discharge: ✓ Continuous ☐ Intermittent ☐ Seasonal Describe frequency and duration of intermittent or seasonal discharges: |
| 8. | Identify the characteristics of the receiving stream at the point just above the facility's discharge point: ✓ Permanent stream, never dry ☐ Intermittent stream, usually flowing, sometimes dry ☐ Ephemeral stream, wet-weather flow, often dry ☐ Effluent-dependent stream, usually or always dry ☐ Lake or pond at or below the discharge point ☐ Other: |
| 9. | Consent to receive electronic mail The Department of Environmental Quality (DEQ) may deliver permits, certifications and plan approvals to recipients, including applicants or permittees, by electronically certified mail where the recipients notify DEQ of their consent to receive mail electronically (§ 10.1-1183). Check only one of the following to consent to or decline receipt of electronic mail from DEQ as follows: |
| | Applicant or permittee agrees to receive by electronic mail the permit and any plan approvals associated with the permit that may be issued for the proposed pollutant management activity, and to certify receipt of such electronic mail when requested by the DEQ. Please provide email: jandrews@co.augusta.va.us |
| | Applicant or permittee declines to receive by electronic mail the permit and any plan approvals |

Fishersville WWTP VA0025291

Form Approved 1/14/99 OMB Number 2040-0086

BASIC APPLICATION INFORMATION

| | The second of the second second second | | DRMATION FOR ALL A | 186 CA 20 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | |
|-------------|--|--|--|--|--|--|
| * * | | mplete ques | tions A.1 through A.8 of t | nis Basic Application infor | nation packet | |
| L1. | Facility Information. | | | | | |
| | Facility name F | ishersville Re | egional WWTP | .,, | | |
| | Mailing Address P | O Box 859 | <u> </u> | | | 4 |
| | Ā | erona VA 24 | 482 | | · · · · · · · · · · · · · · · · · · · | |
| | Contact person K | enneth J. Fa | infoni | | | |
| | | | | | | |
| | Title <u>E</u> | xecutive Dire | ector | | | |
| | Telephone number (5 | 540) 245-567 | 0 | · | | |
| | Facility Address B | 37 Sangers I | .ane | | · | |
| | | tuanton VA 2 | | | | |
| | A unite out toda oution | If the english | et is different from the pho | a provide the following: | | |
| .2. | Wbbiicaut imolitiainou | . It the applica | ınt is different from the abo | ve, provide the following. | | |
| | Applicant name | ** | | | | |
| | Mailing Address | | | | · | |
| | _ | | | | | · · · · · · · · · · · · · · · · · · · |
| | Contact person | | | | | |
| | - | | ·- | | | |
| | Title | | | | | * |
| | Telephone number | | | | | |
| | is the applicant the ov | vner or opera | tor (or both) of the treatm | ent works? | | |
| | owner | | operator | | | |
| | Indicate whether corres | pondence reg | arding this permit should be | directed to the facility or the | applicant. | |
| | facility | | applicant | | | |
| L3 . | Existing Environment | al Permits. P | rövide the permit number o | f any existing environmental | permits that have been issued | to the treatment |
| | works (include state-iss | ued permits). | | | • | |
| | NPDES VAL025291 | | | PSD | | |
| | UIC | | | Other <u>VPD</u> | ES VA0025291 | · · · |
| | RCRA | | | Other | | |
| 4. | Collection System Infe each entity and, if know etc.). | ormation. Pro n, provide info | ovide information on munici irmation on the type of colle | palities and areas served by action system (combined vs. | the facility. Provide the name separate) and its ownership (n | and population of nunicipal, private, |
| | Name | | Population Served | Type of Collection Sy | stem Ownership | |
| | Fishersville area | | 6.045 | Separate | <u>Municipal</u> | |
| | Jolivue | | 2.015 | Separate | Municipal | |
| | | | | | | |
| | Total popul | ation served | 8,060 | • | | |

| | LIT | Y NAME AND PERMIT NUMBER: | | | | | | Form Approved 1 | |
|--------------|------------|--|--|---|---------------------------------------|----------------|-------------------------|-------------------|----------|
| ishe | rsvi | ille WWTP VA0025291 | | | | | | OMB Number 20 | |
| A.5. | iņc | dan Country. | | | | | | | |
| | a. | Is the treatment works located in Inc | dian Country? | | | | | | |
| | ٠. | Yes | No | | | | | | |
| | b. | Does the treatment works discharge | _ . | nat is either i | n Indian Country | or that is up: | stream from | n (and eventually | / flows |
| | | through) Indian Country? | · | - | · · · · · · · · · · · · · · · · · · · | | | | |
| | | Yes | _ No | | | | | | |
| A .6. | ave | ow. Indicate the design flow rate of the erage daily flow rate and maximum driod with the 12th month of "this year" | aily flow rate for each o | f the last thre | e years. Each y | ear's data m | iust be base | | |
| | a. | Design flow rate4.0 | mgd | | | | | | |
| | | | Two Years Ag | <u>o</u> | Last Year | | This Ye | <u>ar</u> | |
| | b. | Annual average daily flow rate | | 1.306 | | . 1.162 | <u> </u> | 1.493 | mgd |
| | C. | Maximum daily flow rate | | 6.426 | | 4.942 | | 6.121 | mgd |
| A.7. | Ca | ollection System. Indicate the type(s | s) of collection system(s | :) used by th | e treatment plant | t. Check all f | that apply. | Also estimate th | e percer |
| | | ntribution (by miles) of each. | , | ,, ., | · · · · · · · · · · · · · · · | | | | |
| | | Separate sanitary sewer | • | | | | | 100 | % |
| | | Combined storm and sanitary | | | | | | | 0/ |
| | | Ourible Co Storm and Surridly | sewer | · · | | | | | 76 |
| | - | | | | | | | | 76 |
| A.8. | Dis | scharges and Other Disposal Meth | | · | , | | : ::::=::::: | - | 76 |
| A.8. | Dis | | ods. | ne U.S.? | , | | , Yes | | No No |
| 4.8. | | scharges and Other Disposal Meth | ods. e effluent to waters of the | • | he treatment wo | | Yes | | No |
| 4.8. | | scharges and Other Disposal Meth | ods. e effluent to waters of the | • | hé treatment wo | rks uses: | Yes | | No |
| 4.8. | | scharges and Other Disposal Meth Does the treatment works discharge If yes, list how many of each of the | ods. e effluent to waters of the following types of disch | • | hé treatment wo | rks uses: | Yes | 1 0 | No |
| 4.8. | | scharges and Other Disposal Meth Does the treatment works discharge If yes, list how many of each of the i. Discharges of treated effluent | ods. e effluent to waters of the following types of discherially treated effluent | • | hé tréatment wo | rks uses: | Yes | 1 0 0 | No |
| 4.8. | | scharges and Other Disposal Meth Does the treatment works discharge If yes, list how many of each of the i. Discharges of treated effluent ii. Discharges of untreated of part | ods. e effluent to waters of the following types of discherially treated effluent to | argė points (| hé tréatment wo | rks uses: | Yes | | No |
| 4.8. | | Scharges and Other Disposal Meth Does the treatment works discharge If yes, list how many of each of the i. Discharges of treated effluent ii. Discharges of untreated or part iii. Combined sewer overflow point | ods. e effluent to waters of the following types of discherially treated effluent to | argė points (| he treatment wo | rks uses: | Yes | | No |
| A.8. | | Does the treatment works discharged in the process of treated effluent in Discharges of treated effluent in Discharges of untreated or partial. Combined sewer overflow point iv. Constructed emergency overflow. | ods. e effluent to waters of the following types of discherially treated effluent is ws (prior to the headwo | argė points (| | rks uses: | Yes | | No |
| A.8. | a . | scharges and Other Disposal Meth Does the treatment works discharge If yes, list how many of each of the i. Discharges of treated effluent ii. Discharges of untreated or part iii. Combined sewer overflow point iv. Constructed emergency overflo | ods. e effluent to waters of the following types of dischedially treated effluent to the headwork of the head | arge points (orks) | surface | rks úses: | Yes Yes | | No No |
| A. 8. | a . | scharges and Other Disposal Meth Does the treatment works discharge If yes, list how many of each of the i. Discharges of treated effluent ii. Discharges of untreated or part iii. Combined sewer overflow point iv. Constructed emergency overflow. V. Other | ods. e effluent to waters of the following types of discharge treated effluent is the headwork of the headwor | arge points t orks) nds, or other ters of the U | surface | rks uses: | | | |
| A.8. | a . | Does the treatment works discharged in the process of treated effluent in Discharges of treated effluent in Discharges of untreated or part in Combined sewer overflow point in Constructed emergency overflow. Other Does the treatment works discharged impoundments that do not have out the treatment works provide the following for each together. | ods. e effluent to waters of the following types of discharge treated effluent is the headwork of the headwor | arge points to orks) nds, or other ters of the U | surface .S.? | rks uses: | | | |
| 4.8. | a . | Does the treatment works discharged if yes, list how many of each of the included in | ods. e effluent to waters of the following types of discharge treated effluent to the headwork of the following to the headwork of the following to the headwork of the following to wan surface impoundment arged to surface impourance. | arge points (onks) ands, or other ters of the U : | surface .S.? | rks uses: | | | |
| 4.8. | a . | Does the treatment works discharged in the process of treated effluent in Discharges of treated effluent in Discharges of untreated or part in Combined sewer overflow point in Constructed emergency overflow. Other Does the treatment works discharged impoundments that do not have out the treatment works provide the following for each together. | ods. e effluent to waters of the following types of discharge treated effluent to the headwork of the following to the headwork of the following to the headwork of the following to was a surface impoundment of the following to was a surface impoundment of the following to surface impoundment of the following to surface impoundment of the following types of the following types of discharge the following types of the following types o | arge points to orks) nds, or other ters of the U | surface .S.? | rks uses: | | 0 | |
| A.8. | a . | Does the treatment works discharged in Discharges of treated effluent in Discharges of treated effluent in Discharges of untreated or partition. Combined sewer overflow point in Constructed emergency overflow. Other Does the treatment works discharge impoundments that do not have out if yes, provide the following for each Location: Annual average daily volume discharge is discharge continued. | ods. e effluent to waters of the following types of discharge in the headword of the headword | arge points (onks) ands, or other ters of the U : | surface .S.? | rks uses: | | 0 | |
| A. 8. | a. | Does the treatment works discharged if yes, list how many of each of the included in Discharges of treated effluent in Discharges of untreated or part included in Discharges of untreated or part included in Discharges of untreated or part included included in Discharges of untreated or part included | ods. e effluent to waters of the following types of dischedially treated effluent its was (prior to the headwork to be effluent to basins, por lets for discharge to was a surface impoundment arged to surface impoundment ous or in the poundment in the po | arge points (onks) ands, or other ters of the U : | surface .S.? | rks uses: | Yes | 0 | No |
| A.8. | a. | Does the treatment works discharged in Discharges of treated effluent in Discharges of treated effluent in Discharges of untreated of partition. Combined sewer overflow point in Combined sewer overflow point in Constructed emergency overflow. Other Does the treatment works discharge impoundments that do not have out if yes, provide the following for each is discharge continued to the provide the following for each in the provide the provide the following for each in the provide the provide the following for each in the provide the p | e effluent to waters of the following types of discharge types of discharge types of discharge to waters of the headword of the following types of the headword types of the following types of discharge types of the following types of the following types of the following types of the following types of types of the following types of the follo | arge points to orks) ands, or other ters of the U : andment(s) | surface .S.? | rks uses: | Yes | 0 | No |
| A.8. | a. | Does the treatment works discharged in Discharges of treated effluent in Discharges of treated effluent in Discharges of untreated of partition. Combined sewer overflow point in Combined sewer overflow point in Constructed emergency overflow. Other Does the treatment works discharge impoundments that do not have out if yes, provide the following for each is discharge continued to the provide the following for each in the provide the provide the following for each in the provide the provide the following for each in the provide the p | ods. e effluent to waters of the following types of dischedially treated effluent its was (prior to the headwork to be effluent to basins, por lets for discharge to was a surface impoundment arged to surface impoundment ous or in the poundment in the po | arge points to orks) ands, or other ters of the U : andment(s) | surface .S.? | rks uses: | Yes | 0 | No |

d. Does the treatment works discharge or transport treated or untreated wastewater to another treatment works?

Yes

Fishersville WWTP VA0025291

Form Approved 1/14/99 OMB Number 2040-0086

| | If transport is by a pai | ty other than the applicant, provide: | | |
|---|--------------------------|---|----------|-----------------|
| | Transporter name: | <u></u> | | |
| | Mailing Address: | | | |
| | | | <u> </u> | |
| | Contact person: | | | |
| | Title: | | | |
| | Telephone number: | | | |
| | For each treatment w | prks that receives this discharge, provide the following: | | |
| | Name: | | | |
| | Mailing Address: | | | |
| | | | | |
| | Contact person: | | | |
| | Title: | | | |
| | Telephone number | | | |
| | If known, provide the | NPDES permit number of the treatment works that receives this discharge. | | |
| | Provide the average of | laily flow rate from the treatment works into the receiving facility. | | NA mgd |
| | Does the treatment w | orks discharge or dispose of its wastewater in a manner not included in bove (e.g., underground percolation, well injection)? | Yes | _ √ _ No |
| • | A.O.D SHOUGH A.O.D D | and the first and in the same and the state of the | | |
| • | If yes, provide the foll | owing tor each disposal method. | | |

| | | / NAME AND PERM ille WWVTP VA0025 | | | 4. | | | | Form Approved 1/14/99 OMB Number 2040-0086 |
|------|-------------|---|-----------------------|----------------------|--------------------|---------------------------------------|----------------|--------------------------|--|
| . V | VAS | TEWATER DISCHA | RGES: | | | | | | |
| ľ | you hich | answered "yes" to | question A. | lude information of | n combined sewer | overflows i | n this section | n. If you ansi | bypass points) through wered "no" to question 0.1 mgd." |
| L.9. | De | scription of Outfall. | | | | · · · · · · · · · · · · · · · · · · · | · | <u> </u> | Land Carlotter of the Control of the |
| | a. | Outfall number | 001 | | | | | | |
| | b. | Location | | | | | | | |
| | | | (City or to | wn, if applicable) | | | | Zip Code) /A | |
| | | | (County) 38° 07' 3 | | | | | State). 78° 59' 47.3" | \A/ |
| | | | (Ļatitude) | | | | | Longitude) | |
| | C. | Distance from shore | (if applicable) |) | | | ft. | | |
| | d. | Depth below surface | e (if applicable | e) | | _ | ft. | | • |
| | e. | Average daily flow re | | • | | 1.493 | mgd | | |
| | f. | Does this outfall hav periodic discharge? | | termittent or a | | Yes | .⊀ | No (ac | ı to A.9.g.) |
| | | If yes, provide the fo | ollowing inform | nation: | | _ | · •, | | , ie , nei g.) |
| | | Number of times per | r year dischar | ge occurs: | | | | | |
| | | Average duration of | each discharg | je: | | | | | |
| | | Average flow per dis | charge: | | | | | mgd | |
| | | Month's in which dis- | charge occurs | : : | | | | · | |
| | g. | Is outfall equipped w | vith a diffuser? | | | Yes | √ | No | |
| 10. | Des | scription of Receivi | ng Waters. | | | | | | |
| | a . | Name of receiving w | /ater | Christians Cree | k | | | - · | |
| | b. | Name of watershed | (if known) | | Potomac Basin | /Shenand | oah Subba | sin | , |
| | | United States Soil C | onservation S | Service 14-digit wat | ershed code (if kn | own): | | | |
| | C. | Name of State Mana | agement/River | r Basin (if known): | _ | | | | |
| | | United States Geolo | gical Survey 8 | 3-digit hydrologic c | ataloging unit cod | e (if known) | ; | . <u>.</u> | |
| | d. | Critical low flow of re | | | المراجع المحار | | | | |
| | • | acute | | UIS | Chronic | | cfs | | |

END OF PART A. REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM **2A YOU MUST COMPLETE**

20 (E. coli)

0.9

59

ma/L

2540D-0997

QL=1.0 mg/L

FECAL COLIFORM

TOTAL SUSPENDED SOLIDS (TSS)

308 (E. coli) |n/100 mL.

mg/L

Form Approved 1/14/99 OMB Number 2040-0086

| Fish | ersville WWTP VA0025291 |
|------|---|
| BA | SIC APPLICATION INFORMATION |
| PAI | RT B. ADDITIONAL APPLICATION INFORMATION FOR APPLICANTS WITH A DESIGN FLOW GREATER THAN OR EQUAL TO 0.1 MGD (100,000 gallons per day). |
| Alla | pplicants with a design flow rate ≥ 0.1 mgd must answer questions B.1 through B.6. All others go to Part C (Certification). |
| B.1 | Inflow and Infiltration. Estimate the average number of gallons per day that flow into the treatment works from inflow and/or infiltration. |
| | <u>255,000_g</u> pd |
| | Briefly explain any steps underway or planned to minimize inflow and infiltration. |
| | ACSA continues to investigate and repair problems as discovered. 15 manholes have been repaired last month. |
| B.2. | Topographic Map. Attach to this application a topographic map of the area extending at least one mile beyond facility property boundaries. This map must show the outline of the facility and the following information. (You may submit more than one map if one map does not show the entire area.) |
| | a. The area surrounding the treatment plant, including all unit processes. |
| | b. The major pipes or other structures through which wastewater enters the treatment works and the pipes or other structures through which treated wastewater is discharged from the treatment plant. Include outfalls from bypass piping, if applicable. |
| * | c. Each well where wastewater from the treatment plant is injected underground. |
| | d. Wells, springs, other surface water bodies, and drinking water wells that are: 1) within 1/4 mile of the property boundaries of the treatment works, and 2) listed in public record or otherwise known to the applicant. |
| | e. Any areas where the sewage sludge produced by the treatment works is stored, treated, or disposed. |
| | f. If the treatment works receives waste that is classified as hazardous under the Resource Conservation and Recovery Act (RCRA) by truck, rail, or special pipe, show on the map where that hazardous waste enters the treatment works and where it is treated, stored, and/or disposed. |
| B.3. | Process Flow Diagram or Schematic. Provide a diagram showing the processes of the treatment plant, including all bypass piping and all backup power sources or redundancy in the system. Also provide a water balance showing all treatment units, including disinfection (e.g., chlorination) and dechlorination). The water balance must show daily average flow rates at influent and discharge points and approximate daily flow rates between treatment units. Include a brief narrative description of the diagram. |
| B.4. | Operation/Maintenance Performed by Contractor(s). |
| | Are any operational or maintenance aspects (related to wastewater treatment and effluent quality) of the treatment works the responsibility of a contractor? YesNo |
| | If yes, list the name, address, telephone number, and status of each contractor and describe the contractor's responsibilities (attach additional pages if necessary). |
| | Name: |
| ٠ | Mailing Address: |
| | Telephone Number: |
| | Responsibilities of Contractor: |
| B.5. | Scheduled Improvements and Schedules of Implementation. Provide information on any uncompleted implementation schedule or uncompleted plans for improvements that will affect the wastewater treatment, effluent quality, or design capacity of the treatment works. If the treatment works has several different implementation schedules or is planning several improvements, submit separate responses to question B.5 for each. (If none, go to question B.6.) |
| | a. List the outfall number (assigned in question A.9) for each outfall that is covered by this implementation schedule. |
| | b. Indicate whether the planned improvements or implementation schedule are required by local, State, or Federal agencies. |

_Yes _

_No

FACILITY NAME AND PERMIT NUMBER: Form Approved 1/14/99 OMB Number 2040-0086 Fishersville WWTP VA0025291 If the answer to B.5.b is "Yes," briefly describe, including new maximum daily inflow rate (if applicable). Provide dates imposed by any compliance schedule or any actual dates of completion for the implementation steps listed below, as applicable. For improvements planned independently of local, State, or Federal agencies, indicate planned or actual completion dates, as applicable. Indicate dates as accurately as possible. Schedule **Actual Completion** MM / DD / YYYY Implementation Stage MM / DD / YYYY - Begin construction - End construction <u>....//</u> - Begin discharge - Attain operational level Have appropriate permits/clearances concerning other Federal/State requirements been obtained? _____Yes No Describe briefly: B.6. EFFLUENT TESTING DATA (GREATER THAN O.1 MGD ONLY). Applicants that discharge to waters of the US must provide effluent testing data for the following parameters. Provide the indicated effluent testing required by the permitting authority for each outfall through which effluent is discharged. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 136 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. At a minimum, effluent testing data must be based on at least three pollutant scans and must be no more than four and one-half years old. Outfall Number: 001 MAXIMUM DAILY AVERAGE DAILY DISCHARGE POLLUTANT DISCHARGE Units Conc. Units Number of ANALYTICAL ML / MDL Conc. METHOD Samples CONVENTIONAL AND NONCONVENTIONAL COMPOUNDS. AMMONIA (as N) 1.40 < 0.2 mg/L 160 4500-NH3 D1997 | 0.2 ma/L mg/L CHLORINE (TOTAL * Waiver RESIDUAL, TRC) DISSOLVED OXYGEN 365 Hach 10360 0.1 mg/L 10.8 9.2 mg/L mg/L TOTAL KJELDAHL 2.77 1.04 160 4500NorgC1997 0.5 mg/L mg/L mg/L NITROGEN (TKN) NITRATE PLUS NITRITE 160 EPA 353.2 0.05 mg/L 1.68 mq/L 4.14 mg/L NITROGEN. OIL and GREASE <2 mq/L EPA 1664 2 mg/L <2 mg/L PHOSPHORUS (Total) 160 5210 B-2001 0.05 mg/L 0.98 mg/L 0.16 mg/L TOTAL DISSOLVED 5 mg/L 336 mg/L 2540C-1997 336 mg/L SOLIDS (TDS) OTHER END OF PART B. REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM

2A YOU MUST COMPLETE

| FACILITY NAME AND PERMIT NUMBER: | | | Form Approved 1/14/99 OMB Number 2040-0086 |
|---|---|--|---|
| Fishersville WWTP VA0025291 | | | OMD NUMBER 2040-0000 |
| BASIC APPLICATION INFORMAT | ION | | Terrigasia e araba a araba . Tabun 1 digiri 1 dengan araba . |
| PART C. CERTIFICATION | | risa vina e e e e e e e e e e e e e e e e e e e | |
| All applicants must complete the Certification Section applicants must complete all applicable sections of For have completed and are submitting. By signing this call sections that apply to the facility for which this app | orm 2A, as explained in the Ap entification statement, applica | oplication Overview. Indicate below | which parts of Form 2A you |
| Indicate which parts of Form 2A you have comple | ted and are submitting: | | |
| Basic Application Information packet | Supplemental Application I | information packet: | |
| | Part D (Expanded | Effluent Testing Data) | |
| | Part E (Toxicity Te | esting: Biomonitoring Data) | • |
| | Part F (Industrial L | Jser Discharges and RCRA/CERCL | A Wastes) |
| | Part G (Combined | Sewer Systems) | |
| | | | |
| ALL APPLICANTS MUST COMPLETE THE FOLLO | WING CERTIFICATION. | | |
| I certify under penalty of law that this document and a designed to assure that qualified personnel properly g who manage the system or those persons directly res belief, true, accurate, and complete. I am aware that and imprisonment for knowing violations. | pather and evaluate the inform ponsible for gathering the info | nation submitted. Based on my inqui ormation, the information is, to the be | ry of the person or persons ast of my knowledge and |
| Name and official title Kenneth J. Fanfoni, Exe | cutive Director | | <u></u> . |
| Signature by | Tearley TI | Deputy Executive D | in. |
| Telephone number (540) 245-5670 | | · — — — — — — — — — — — — — — — — — — — | |
| Date signed 6/3/14 | | | |
| Upon request of the permitting authority, you must sul works or identify appropriate permitting requirements. | omit any other information nec | cessary to assess wastewater treatm | ent practices at the treatment |

SEND COMPLETED FORMS TO:

Form Approved 1/14/99 OMB Number 2040-0086

SUPPLEMENTAL APPLICATION INFORMATION

PART D. EXPANDED EFFLUENT TESTING DATA

Refer to the directions on the cover page to determine whether this section applies to the treatment works.

Effluent Testing: 1.0 mgd and Pretreatment Treatment Works. If the treatment works has a design flow greater than or equal to 1.0 mgd or it has (or is required to have) a pretreatment program, or is otherwise required by the permitting authority to provide the data, then provide effluent testing data for the following pollutants. Provide the indicated effluent testing information and any other information required by the permitting authority for each outfall through which effluent is discharged. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analyses conducted using 40 CFR Part 136 methods. In addition, these data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. Indicate in the blank rows provided below any data you may have on pollutants not specifically listed in this form. At a minimum, effluent testing data must be based on at least three pollutant scans and must be no more than four and one-half years old.

Outfall number: 001 (Complete once for each outfall discharging effluent to waters of the United States.)

| <pre>ANIDE, <5 <5 <0.5 <0.5</pre> | Units | Mass | | Conc. SS. <5 | Units | Mass | Units | Number of Samples | ANALYTICAL METHOD | ML/ MDL |
|---|--|--|---|--|---|---|---|--------------------------------|------------------------|-----------------------------|
| <5 <5 <0.5 | ug/L ug/L | <0.12 | | l | | | | | | |
| <5 <0.5 | ug/L | | kg/D | <5 | | | | | | |
| <0.5 | | <0.12 | | <u> </u> | ug/L | <0.03 | kg/D | 3 | EPA 200.7 | . 5 |
| | ug/L | | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 200.7 | 5 |
| <0.5 | | <0.01 | kg/D | <0.5 | ug/L | <.003 | kg/D | 3 | EPA 200.7 | 0.5 |
| | ug/L | <0.01 | kg/D | <0,5 | ug/L | <.003 | kg/D | 3 | EPA 200.7 | 0.5 |
| 1 | ug/L | 0.02 | kg/D | <1 | ug/L | <.006 | kg/D | 3 | EPA 200.7 | 1 |
| 4 | ug/L | 0.09 | kg/D | 3 | üg/L | 0.02 | kg/D | 3 | ÉPA 200.7 | 2 |
| <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 200.7 | 5 |
| <0.2 | ug/L | <.005 | kg/D | <0.2 | ug/L | <.001 | kg/D | 3 | EPA 245.1 | 0.2 |
| <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 200.7 | 5 |
| < 5 | ug/L | <0.12 | kg/D | . <5 | ug/Ľ | <0.03 | kg/D | 3 | EPA 200.7 | 5 |
| <1 | ug/L | <0.02 | kg/D | <1 | ug/L | <.006 | kg/D | 3 | EPA 200.7 | 1 |
| <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 200.7 | 5 |
| 67 | ug/L | 1.55 | kg/D | 54 | ug/L | 0.31 | kg/D | 3 | EPA 200.7 | 5 |
| <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 335.4 | 5 |
| <20 | ug/L | <0.46 | kg/D | <20 | ug/L | <0.11 | kg/D | 3 | EPA 420.4 | 20 |
| 230 | mg/L | 5329 | kg/D | 189 | mg/L | 1068 | kg/D | 3 | SM 2340B | 0.331 |
| ovide im | formation | n on other | matala - | | • | | | | | |
| | | | . metals re | equested t | by the per | mit writer | | | | |
| _ < | <pre>0.2 <5 <5 <1 <5 67 <20 <230</pre> | 0.2 ug/L <5 ug/L <5 ug/L <1 ug/L <5 ug/L 67 ug/L <5 ug/L <20 ug/L | 0.2 ug/L <.005 <5 ug/L <0.12 <5 ug/L <0.12 <1 ug/L <0.02 <5 ug/L <0.12 67 ug/L <0.12 <5 ug/L <0.12 67 ug/L <0.12 <20 ug/L <0.46 | 0.2 ug/L < .005 kg/D <5 ug/L < 0.12 kg/D <5 ug/L < 0.12 kg/D <1 ug/L < 0.02 kg/D <5 ug/L < 0.12 kg/D <7 ug/L < 0.12 kg/D | 0.2 ug/L < .005 kg/D < 0.2 <5 ug/L < 0.12 kg/D < 5 <5 ug/L < 0.12 kg/D < 5 <1 ug/L < 0.02 kg/D < 1 <5 ug/L < 0.12 kg/D < 5 <67 ug/L < 0.12 kg/D < 5 <67 ug/L 1.55 kg/D 54 <5 ug/L < 0.12 kg/D < 5 <20 ug/L < 0.46 kg/D < 20 230 mg/L 5329 kg/D 189 | 0.2 ug/L < .005 kg/D < 0.2 ug/L < 5 ug/L < 0.12 kg/D < 5 ug/L < 1 ug/L < 5 ug/L < 1 | 0.2 ug/L < .005 kg/D < 0.2 ug/L < .001 <5 ug/L < 0.12 kg/D < 5 ug/L < 0.03 <5 ug/L < 0.12 kg/D < 5 ug/L < 0.03 <1 ug/L < 0.02 kg/D < 1 ug/L < .006 <5 ug/L < 0.12 kg/D < 5 ug/L < .006 <5 ug/L < 0.12 kg/D < 5 ug/L < 0.03 67 ug/L 1.55 kg/D 54 ug/L < 0.31 <5 ug/L < 0.12 kg/D < 5 ug/L < 0.03 <1 ug/L < 0.12 kg/D < 1 ug/L < 0.01 <1 ug/L < 0.01 | 0.2 ug/L <.005 | 0.2 ug/L <.005 | 0.2 ug/L < 0.05 |

Fishersville WWTP VA0025291

| Outfall number: 001 | | | | | | | | | the United S | States.) | |
|------------------------------|---------------|-------|-------------------|----------|---------------|-------|---------|-------|-------------------------|----------------------|---------|
| POLLUTANT | N | | JM DAIL' HARGE | Y | A۱ | ÆRAGI | E DAILY | DISCH | ARGE | | |
| | Conc | Units | Mass | Units | Conc. | Units | Mass | Units | Number of Samples | ANALYTICAL METHOD | ML/ MDL |
| VOLATILE ORGANIC COMPOUNDS. | | | | | | , | | | | | , |
| ACROLEIN | <50 | ug/L | <1.16 | kg/D | <50 | ug/L. | <0.28 | kg/D | 3 | EPA 624 | 50 |
| ACRYLONITRILE | <50 | ùg/L | <1.16 | kg/D | <50 | ug/L | <0.28 | kg/D | 3 | EPA 624 | 50 |
| BENZENE | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 624 | 5 |
| BROMOFORM | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 624 | 5 |
| CARBON TETRACHLORIDE | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 624 | 5 |
| CLOROBENZENE | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 624 | 5 |
| CHLORODIBROMO-METHANE | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 624 | -5 |
| CHLOROETHANE | < 5 | ug/L | <012 | kg/D | <5 | ug/L. | <0.03 | kg/D | 3 | EPA 624 | 5 |
| 2-CHLORO-ETHYLVINYL ETHER | <10 | ug/L | <0.23 | kg/D | <10 | ug/L | <0.06 | kg/D | 3 | EPA 624 | 10 |
| CHLOROFORM | <5 | ug/L | <0.12 | kg/D | < 5 | ug/L | <0.03 | kg/D | 3 | EPA 624 | 5 |
| DICHLOROBROMO-METHANE | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 624 | 5 |
| 1,1-DICHLOROETHANE | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 624 | 5 |
| 1,2-DICHLOROETHÄNE | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 624 | 5 |
| TRANS-1,2-DICHLORO-ETHYLENE | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 624 | 5 |
| 1,1-DICHLOROETHYLENE | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 624 | 5 |
| 1,2-DICHLOROPROPANE | <5 | ug/L | <0.12 | kg/D | < 5 | ug/L | <0.03 | kg/D | 3 | EPA 624 | 5 |
| 1,3-DICHLORO-PROPYLENE | <5 | ug/L | <0.12 | kg/D | < 5 | ug/L | <0.03 | kg/D | 3 | EPA 624 | 5 |
| ETHYLBENZENE | <5 | ug/L | <0.12 | kg/D | <5 | uġ/L | <0.03 | kg/D | 3 | EPA 624 | 5 |
| METHYL BROMIDE | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 624 | 5 |
| METHYL CHLORIDE | < 5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 624 | 5 |
| METHYLENE CHLORIDE | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 624 | . 5 |
| 1,1,2,2-TETRACHLORO-ETHANE | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 624 | 5 |
| TETRACHLORO-ETHYLENE | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 624 | 5 |
| TOLUËNE | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 624 | 5 |

Fishersville WWTP VA0025291

| Outfall number: 001 | | | | | | | · | | the United S | | |
|-----------------------------------|---------------|-------|-------------------|--------------|-------------------|--------|-------|-------|-------------------------|----------------------|---------|
| POLLUTANT |) (N | | IM DAIL' IARGE | r Santati | .3 (5. A) | /ERAGE | DAILY | DISCH | ARGE | | |
| | Conc | Units | Mass | Units | Conc. | Units | Mass | Units | Number of Samples | ANALYTICAL METHOD | ML/ MDL |
| 3,4 BENZO-FLUORANTHENE | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/Ď | 3 | EPA 625 | 5 |
| BENZO(GHI)PERŸLENE | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 625 | 5 |
| BENZO(K)FLUORANTHENE | < 5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | ËPA 625 | 5 |
| BIS (2-CHLOROETHOXY) METHANE | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 625 | 5 |
| BIS (2-CHLOROETHYL)-ETHER | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 625 | 5 |
| BIS (2-CHLOROISO-PROPYL) ETHER | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 625 | 5 |
| BIS (2-ETHYLHEXYL) PHTHALATE | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 625 | 5 |
| 4-BROMOPHENYL PHENYL ETHER | < 5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 625 | 5 |
| BUTYL BENZYL PHTHALATE | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 625 | 5 |
| 2-CHLORONAPHTHALENE | <5 | ug/L. | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 625 | 5 |
| 4-CHLORPHENYL PHENYL ETHER | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 625 | -5 |
| CHRYSENE | <5 | ug/L | <0.12 | kg/D | · <5 | ug/L | <0.03 | kg/D | 3 | EPA 625 | 5 |
| DI-N-BUTYL PHTHALATE | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 625 | -5 |
| DI-N-OCTYL PHTHALATE | <5 | üġ/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 625 | 5 |
| DIBENZO(A,H) ANTHRACENE | <5 | ug/L | <0.12 | kg/D | < 5 | ug/L | <0.03 | kg/D | 3 | EPA 625 | 5 |
| 1,2-DICHLOROBENZENE | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 624 | 5 |
| 1,3-DICHLOROBENZENE | < 5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 624 | 5 |
| 1,4-DICHLOROBENZENE | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 624 | 5 |
| 3,3-DICHLOROBENZIDINE | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 625 | 5 |
| DIETHYL PHTHALATE | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 625 | 5 |
| DIMETHYL PHTHALATE | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 625 | 5 |
| 2,4-DINITROTOLUENE | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 625 | 5 |
| 2,6-DINITROTOLUENE | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 625 | 5 |
| 1,2-DIPHENYLHYDRAZINE | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 625 | 5 |

Fishersville WWTP VA0025291

Outfall number: 001 (Complete once for each outfall discharging effluent to waters of the United States.) AVERAGE DAILY DISCHARGE POLLUTANT MAXIMUM DAILY DISCHARGE Conc. Units Mass Units Conc. Units Mass Units Number ANALYTICAL ML/ MDL METHOD Samples ug/L 1,1,1-TRICHLOROETHANE **<**5 ug/L < 0.12 kg/D <5 < 0.03 kg/D 3 **EPA 624** 5 1,1,2-TRICHLOROETHANE <5 ug/L < 0.12 kg/D <5 ug/L < 0.03 kg/D 3 **EPA 624** 5 TRICHLORETHYLENE <Ŝ ug/L <5 ug/L < 0.12 kġ/D < 0.03 3 **EPA 624** kg/D 5 kg/D VINYL CHLORIDE <5 ug/L < 0.12 <5 ug/L <0.03 3 kg/D **EPA 624** 5 Use this space (or a separate sheet) to provide information on other volatile organic compounds requested by the permit writer. ACID-EXTRACTABLE COMPOUNDS P-CHLORO-M-CRESOL ug/L < 0.12 ug/L <5 kg/D <5 < 0.03 kg/D 3 **EPA 625** 5 2-CHLOROPHENOL <5 ug/L < 0.12 kg/D <5 ug/L < 0.03 kg/D 3 **EPA 625** 5 2.4-DICHLOROPHENOL ug/L <5 ug/L < 0.12 kg/D <5 < 0.03 kg/D **EPA 625** 3 5 2.4-DIMETHYLPHENOL <5 ug/L < 0.12 kg/D <5 ug/L <0.03 3 kg/D **EPA 625** 5 4.6-DINITRO-O-CRESOL <5 ug/L < 0.12 kg/D <5 ug/L <0.03 kg/D 3 **EPA 625** 5 2,4-DINITROPHENOL <20 ug/L < 0.46 kg/D <20 ug/L <0.11 kg/D 3 **EPA 625** 20 2-NITROPHENOL ug/L <5 ug/L < 0.12 kg/D <5 <0.03 3 kg/D **EPA 625** 5 4-NITROPHENOL <5 <5 ug/L < 0.12 kg/D ug/L < 0.03 kg/D 3 **EPA 625** 5 **PENTACHLOROPHENOL** <10 < 0.23 <10 ug/L kg/D ug/L < 0.06 kg/D 3 **EPA 625** 10 PHENOL <5 ug/L < 0.12 kg/D <5 ug/L < 0.03 kg/D 3 **EPA 625** 5 2,4,6-TRICHLOROPHENOL <5 ug/L < 0.12 kg/D <5 ug/L <0.03 kg/D 3 **EPA 625** 5 Use this space (or a separate sheet) to provide information on other acid-extractable compounds requested by the permit writer. BASE-NEUTRAL COMPOUNDS. **ACENAPHTHENE** <5 ug/L < 0.12 <5 ug/L kg/D < 0.03 kg/D **EPA 625** 3 5 **ACENAPHTHYLENE** <5 ug/L < 0.12 kg/D <5 ug/L < 0.03 kg/D 3 5 **EPA 625** ANTHRACENE <5 ug/L < 0.12 kg/D <5 ug/L <0.03 kg/D 3 **EPA 625** 5 BENZIDINE <5 ug/L < 0.12 kg/D <5 ug/L < 0.03 kg/D 3 **EPA 625** 5 **BENZO(A)ANTHRACENE** <5 < 0.12 <5 ug/L kq/D ug/L <0.03 3 kg/D **EPA 625** 5 BENZO(A)PYRENE <5 kg/D ug/L < 0.12 <5 < 0.03 ug/L kg/D 3 **EPA 625** 5

Fishersville WWTP VA0025291

| POLLUTANT | | | | | | | | | | | |
|---|------------|-----------|------------|-----------|-------------|-----------|-----------|----------|-------------------|----------------------|--|
| EOLTO (MAI) | | | IM DAIL' | V. Again | A۱ | /ERAGI | DAILY | DISCH | ARGE | | Section of the sectio |
| | Conc. | Units | Mass | Units | Conc. | Units | Mass | Units | Number of Samples | ANALYTICAL METHOD | ML/ MDL |
| LUORANTHENE | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 625 | 5 |
| LUORENE | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 625 | 5 |
| HEXACHLOROBENZENE | <5 | ug/L | <0,12 | kg/Ď | <5 | ug/L | <0.03 | kg/D | 3 | EPA 625 | 5 |
| HEXACHLOROBUTADIENE | <5 | ug/L | <0.12 | kġ/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 625 | 5 |
| HEXACHLOROCYCLO- PENTADIENE | < <u>5</u> | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 625 | 5 |
| HEXACHLOROETHANE | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 625 | 5 |
| NDENO(1,2;3-CD)PYRENE | <5 | ug/Ľ | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 625 | 5 |
| SOPHORONE | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 625 | 5 |
| NAPHTHALENE : | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 625 | 5 |
| NITROBENZENE | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 625 | 5 |
| N-NITROSODI-N-PROPYLAMINE | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 625 | 5 |
| N-NITROSODI- METHYLAMINE | <5 | ug/Ļ | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 625 | 5 |
| N-NITROSODI-PHĖNYLAMIŅĖ | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 625 | 5 |
| PHENANTHRENE | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 625 | 5 |
| PYRENE | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | kg/D | 3 | EPA 625 | 5 |
| 1,2,4-TRICHLOROBENZENE | <5 | ug/L | <0.12 | kg/D | <5 | ug/L | <0.03 | | 3 | EPA 625 | 5 |
| Use this space (or a separate sheet) to | provide in | nformatio | n on other | base-ne | utral comp | ounds re | quested b | y the pe | rmit writër. | | _ ' ' . |
| | | | | | | | <u> </u> | | | | |
| Use this space (or a separate sheet) to | provide in | nformatio | n on other | pollutant | s (e.g., pe | sticides) | requested | by the p | ermit writer. | | - · · · · · · · · · · · · · · · · · · · |
| | | <u></u> | | | | | | | | | |

END OF PART D.
REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM
2A YOU MUST COMPLETE

| FACILITY NAME AND PERMIT NUMBE | R: | | Form Approved 1/14/99 OMB Number 2040-0086 |
|--|---|--|--|
| Fishersville WWTP VA0025291 | | | |
| SUPPLEMENTAL APPLIC | ATION INFORMATION | | and the second of the second o |
| PART E. TOXICITY TESTING D | ATA. | | |
| two species), or the results from results show no appreciable to not include information on containing analysis conducted using 40 C and other appropriate QA/QC. In addition, submit the results test conducted during the past of a toxicity reduction evaluation if you have already submitted requested in question E.4 for | with a design flow rate greater than of FR Part 403); or 3) POTWs required by the strong for a 12-nm four tests performed at least annual exicity, and testing for acute and/or chromothed sewer overflows in this section. FR Part 136 methods. In addition, this requirements for standard methods for any other whole effluent toxicity test four and one-half years revealed toxicon, if one was conducted. any of the information requested in Papreviously submitted information. If EF re available that contain all of the information and of the information | equal to 1.0 mgd; 2) POTWs with a pix the permitting authority to submit data north period within the past 1 year usin by in the four and one-half years prior to onic toxicity, depending on the range of All information reported must be bases data must comply with QA/QC require analytes not addressed by 40 CFR Past from the past four and one-half years city, provide any information on the causert E, you need not submit it again. Rate A methods were not used, report the innation requested below, they may be s | retreatment program (or those for these parameters, gruntiple species (minimum of the application, provided the receiving water dilution. Do d on data collected through aments of 40 CFR Part 136 at 138. If a whole effluent toxicity se of the toxicity or any results mer, provide the information pasons for using alternate ubmitted in place of Part E. |
| ✓ chronic ✓ acute E.2. Individual Test Data. Complete the | e following chart for each whole efficien | • | |
| Column bei test (where each shelle | | | ru. Test number: |
| a. Test information. | | | ************************************* |
| Test species & test method number | · | | *·· |
| Age at initiation of test | | | |
| Outfall number | | | |
| Dates sample collected | | | |
| Date test started | | | · |
| Duration | | | |
| b. Give toxicity test methods followed | ed. | | |
| Manual title | | | |
| Edition number and year of publication | | | |
| Page number(s) | | | |
| c. Give the sample collection metho | od(s) used. For multiple grab samples, | indicate the number of grab samples u | sed. |
| 24-Hour composite | | | |
| Grab | | | |
| d. Indicate where the sample was ta | aken in relation to disinfection. (Check | all that apply for each) | |

Before disinfection

After disinfection

After dechlorination

| FACILITY NAME AND PERMIT NUMBER: Fishersville WWYTP VA0025291 | : | | Form Approved 1/14/99 OMB Number 2040-0086 |
|---|------------------------------------|-------------------------|--|
| Test number | er: Tes | t number: | Test number: |
| e. Describe the point in the treatment process at which | ch the sample was collected. | , | |
| Sample was collected: | | | |
| f. For each test, include whether the test was intende | d to assess chronic toxicity, a | cute toxicity, or both. | |
| Chronic toxicity | | | |
| Acute toxicity | | • | |
| g. Provide the type of test performed. | | | |
| Static | | | |
| Static-renewal | | | and the second s |
| Flow-through | | | |
| h. Source of dilution water. If laboratory water, speci | fy type; if receiving water, spe | cify source. | |
| Laboratory water | | . . | |
| Receiving water | | | |
| i. Type of dilution water. It salt water, specify "natura | I" or type of artificial sea salts | or brine used. | |
| Fresh water | , | | |
| Salt water | | | |
| j. Give the percentage effluent used for all concentral | tions in the test series. | | |
| | | | |
| | | | |
| Control of the Control | | | |
| k. Parameters measured during the test. (State whether | her parameter meets test met | hod specifications) | |
| рН | | | |
| Salinity | | · | |
| Temperature | | | |
| Ammonia | | | |
| Dissolved oxygen | | | |
| i. Test Results | | | |
| Acute: | | | |
| Percent survival in 100% effluent | % | % | % |
| LC ₅₀ | | | |
| 95% C.I | % | % | |

%

%

%

Control percent survival

Other (describe)

| FACILITY NAME AND PERMIT NUMBER Fishersville WWTP VA0025291 | t : | | Form Approved 1/14/95 OMB Number 2040-00 | | |
|---|---|---|---|--|--|
| Chronic: | | | | | |
| NOEC | % | | % | % | |
| IC ₂₅ | % | | % | % | |
| Control percent survival | % | | % | % | |
| Other (describe) | | | | | |
| m. Quality Control/Quality Assuran | ce. | | | | |
| Is reference toxicant data available? | | | | | |
| Was reference toxicant test within acceptable bounds? | | | | | |
| What date was reference toxicant test run (MM/DD/YYYY)? | • | | | | |
| Other (describe) | | | | | |
| E.3. Toxicity Reduction Evaluation. Is Yes | the treatment works involved in a To | exicity Reduction Evaluation? | , ; - | | |
| E.4. Summary of Submitted Blomonito cause of toxicity, within the past four summary of the results. | ring Test Information. If you have rand one-half years, provide the da | submitted biomonitoring test tes the information was submi | informatio | n, or information regarding the permitting authority and a | |
| Date submitted: | (MM/DD/YYYY) | | | | |
| Summary of results: (see instruction See attached spreadsheet. | ns) | ··· | | | |
| | END OF P | ART E. | | ing the second s | |

REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM
2A YOU MUST COMPLETE.


FISHERSVILLE WWTP TOXICITY MONITORING REPORT RESULTS


| | | | Acute (| LC50) | · · · · · · · · · · · · · · · · · · · | | | Chr | onic (NOEC) | See Notes be | low | | | | |
|-----------------------|-------------|--|--------------|-------------|---------------------------------------|----------|--------------|---------|-------------|--------------|--------------|--|-------------|------------|--------------|
| Date | Report Type | Ceriodaphnia C. dubia Pimephales P. prometas | | P. prometas | Certodaphnia dubia | | | | | Pin | ephales prom | elas | | | |
| | | duble | Survival TUa | promelas | Survival TUa | Survival | Survival TUc | Reprod. | Reprod TUc | Reprod IC25 | Survival | Survival TUc | Growth | Growth TUc | Growth IC25 |
| | | | | | | | | | | | | | | 1 | |
| July 13 - 16, 2009 | Annual | >100% | <1.00 | >1,00% | <1.00 | 100% | 1.00 | 100% | 1.00 | >100% | 58% | 1.72 | 58% | 1.72 | >100% |
| August 9 - 12, 2010 | Annual | >100% | 1.00 | >100% | 1.00 | 100% | 1.00 | 100% | 1.00 | >100% | 100% | 1.00 | 100% | 1.00 | >100% |
| April 11 - 14, 2011 | Quarterty | >100% | 1.00 | >100% | 1.00 | 100% | 1.00 | 100% | 1.00 | >100% | 100% | 1.00 | 67% | 1.49 | >100% |
| August 8 - 11, 2011 | Quarterly | >100% | 1.00 | >100% | 1.00 | 100% | 1.00 | 100% | 1.00 | >100% | 100% | 1.00 | 82% | 1.22 | 99.0% |
| October 10 - 13, 2011 | Quarterly | >100% | 1.00 | >100% | 1.00 | 100% | 1.00 | 100% | 1.00 | >100% | 100% | 1.00 | 82 <u>%</u> | 1.22 | >100% |
| January 9 - 12, 2012 | Quarterly | >100% | 1.00 | >100% | 1.00 | 100% | 1.00 | 100% | 1.00 | >100% | 100% | 1.00 | 67% | 1.49 | 65.0% |
| | Annual | >100% | 1.00 | >100% | 1.00 | 100% | 1,00 | 100% | 1.00 | >100% | 100% | 1:00 | 100% | 1:00 | >100% |


| | ersville WWTP VA002 | | | OMB Number 2040-0086 |
|------|---------------------------------|--|--|---------------------------------------|
| SU | PPLEMENTAL | APPLICATION INFORMATION | | |
| PAF | RT F. INDUSTRI | AL USER DISCHARGES AND RCRA/CERO | LA WASTES | |
| | | ing discharges from significant industrial users or w | | other remedial wastes must |
| GEI | NERAL INFORMA | rion: | | |
| F.1. | Pretreatment Program | n. Does the treatment works have, or is it subject to, an | approved pretreatment program? | |
| F.2. | | nt Industrial Users (SIUs) and Categorical Industrial L discharge to the treatment works. | Jsers (CIUs). Provide the number of | of each of the following types |
| | a. Number of non-ca | tegorical SiUs. 1 | | |
| | b. Number of CIUs. | 0 | | |
| SIC | MIEICANT INDUS | FRIAL USER INFORMATION: | | |
| Supp | ply the following infor | nation for each SIU. If more than one SIU discharge in requested for each SIU. | | |
| F.3. | _ | User Information. Provide the name and address of ea | ach SIU discharging to the treatment | t works. Submit additional |
| | pages as necessary. Name: | Augusta Regional Landfill | | · |
| | Mailing Address: | 749 Christians Creek Road Staunton VA 24401 | | |
| F.4. | Industrial Processes | . Describe all of the industrial processes that affect or or | ontribute to the SIU's discharge. | · · · · · · · · · · · · · · · · · · · |
| F.5. | Principal Product(s) discharge. | and Raw Material(s). Describe all of the principal proce | esses and raw materials that affect of | r contribute to the SIU's |
| | Principal product(s): | N/A | | |
| | Raw material(s): | N/A | | |
| F.6. | Flow Rate. | | | |
| | per day (gpd) and | er flow rate. Indicate the average daily volume of proces whether the discharge is continuous or intermittent. | s wastewater discharged into the co | ollection system in gallons |
| | system in gallons | ewater flow rate. Indicate the average daily volume of new day (gpd) and whether the discharge is continuous ofintermittent) | on-process wastewater flow dischar ir intermittent. | ged into the collection |
| F 7 | Profregiment Standa | rds. Indicate whether the SIU is subject to the following: | | |
| | a. Local limits | ✓ YesNo | | |
| | | atment standards Yes Vo | | |
| | | al pretreatment standards, which category and subcategor | ory? | |

| | JTY NAME AND PERMIT NUMBER: | | Form Approved 1/14/99 OMB Number 2040-0086 |
|---------------------------------------|--|---------------------------------------|---|
| | sville WWTP VA0025291 | | |
| | Problems at the Treatment Works Attributed to Waste Discharged I upsets, interference) at the treatment works in the past three years? | y the SIU. Has the SIU | caused or contributed to any problems (e. |
| | Yes ✓ No If yes, describe each episode. | | |
| | · | | |
| | | • | |
| CR | A HAZARDOUS WASTE RECEIVED BY TRUCK, RAIL, OR DI | EDICATED PIPELINE: | |
| 9. | RCRA Waste. Does the treatment works receive or has it in the past th pipe?YesNo (go to F.12.) | | |
| 40 . | Waste Transport. Method by which RCRA waste is received (check a | II that apply): | |
| 10. | Truck Rail Dedicated Pipe | i ujat appiy). | A second |
| • | NaiiDedicated Pipe | | |
| 11. | Waste Description. Give EPA hazardous waste number and amount (| volume or mass, specify | units). |
| | EPA Hazardous Waste Number Amount | <u>L</u> | <u>Inits</u> |
| | | <u> </u> | |
| | | · | |
| | | | |
| | NA (ÖLÜPERELININ) MAĞTEMATER, RODA REMERINATIONIK | ODDE ÓTIVE | |
| | CLA (SUPERFUND) WASTEWATER, RCRA REMEDIATION/O ON WASTEWATER, AND OTHER REMEDIAL ACTIVITY WAS | | |
| | Remediation Waste. Does the treatment works currently (or has it be- | | ha wasta from ramadial activities? |
| 12. | | | ive waste iroin remedial activities? |
| 1 | Yes (complete F.13 through F.15.) | | |
| | Provide a list of sites and the requested information (F.13 - F.15.) for each | ach current and future site |). |
| 13. | Waste Origin. Describe the site and type of facility at which the CERC | i A/RCRA/or other remed | ial waste originates (or is expected to origi |
| | in the next five years). | | · ·g (· |
| | | | |
| | | | - · · · · · · · · · · · · · · · · · · · |
| | | | |
| ł | TO THE RESIDENCE OF THE PARTY O | · · · · · · · · · · · · · · · · · · · | |
| 1 | The state of the s | | |
| | Pollutants. List the hazardous constituents that are received (or are ex | opected to be received). | nclude data on volume and concentration, |
| | Pollutants. List the hazardous constituents that are received (or are exhaum). (Attach additional sheets if necessary). | opected to be received). | nclude data on volume and concentration, |
| | | opected to be received). I | include data on volume and concentration, |
| | | opected to be received). I | nclude data on volume and concentration, |
| · · · · · · · · · · · · · · · · · · · | known. (Attach additional sheets if necessary). | opected to be received). I | nclude data on volume and concentration, |
| 15. | known. (Attach additional sheets if necessary). Waste Treatment. | | nclude data on volume and concentration, |
| 15. | known. (Attach additional sheets if necessary). Waste Treatment. a. Is this waste treated (or will it be treated) prior to entering the treatment. | | include data on volume and concentration, |
| 15. | Waste Treatment. a. Is this waste treated (or will it be treated) prior to entering the treatment. ——————————————————————————————————— | ient works? | nclude data on volume and concentration, |
| 15. | known. (Attach additional sheets if necessary). Waste Treatment. a. Is this waste treated (or will it be treated) prior to entering the treatment. | ient works? | nclude data on volume and concentration, |
| 15. | Waste Treatment. a. Is this waste treated (or will it be treated) prior to entering the treatment. ——————————————————————————————————— | ient works? | nclude data on volume and concentration |
| 15. | Waste Treatment. a. Is this waste treated (or will it be treated) prior to entering the treatment. ——————————————————————————————————— | ient works? | nclude data on volume and concentration |
| 15. | Waste Treatment. a. Is this waste treated (or will it be treated) prior to entering the treatment. YesNo If yes, describe the treatment (provide information about the remova | ient works? al efficiency): | nclude data on volume and concentration |
| 15. | Waste Treatment. a. Is this waste treated (or will it be treated) prior to entering the treatment. YesNo If yes, describe the treatment (provide information about the remova | ient works? al efficiency): | |
| 15. | Waste Treatment. a. Is this waste treated (or will it be treated) prior to entering the treatment. YesNo If yes, describe the treatment (provide information about the remova | ient works? al efficiency): | |

2A YOU MUST COMPLETE








-> 2007 ETT (300

MOTES 1. THE EXISTING UV CHANNELS TO BE ASSIST

FISHERSVILLE WHITE



DEWATERED SLUDGE TO:LANDFILL

> FISHERSVILLE WATE SOLIDS PROCESS SCHEMATIC

VPDES Sewage Sludge Permit Application for Permit Reissuance Instructions WHO MUST SUBMIT THE APPLICATION - All facilities with a current VPDES Permit that authorizes the discharge of treated sewage wastewater that are applying for reissuance must complete and submit this application. Part 1 is general information to be provided by all facilities. Part 2 must be completed by all facilities that generate Class A or Class B biosolids that are land applied. Part 3 must be completed by all facilities that land apply Class B biosolids. Part 1 - Sludge Disposal Management (To be completed by all facilities) Facility Name: Fishersville Regional WWTP VPDES Permit No: VA0025291 1. Shipment Off Site for Treatment or Blending Is sewage sludge from your facility sent to another facility that provides treatment or blending? Yes No If you send sewage sludge to more than one facility, attach additional sheets as necessary. A back up method of sludge disposal Shipment off site is: The primary method of sludge disposal Middle River Regional WWTP a. Receiving Facility Name b. Receiving Facility VPDES Permit No. VA0064793 c. Include an acceptance letter from the Receiving Facility. d. Receiving Facility's ultimate disposal method for sewage sludge Landfill (primary) or Land Application (secondary) 2. Disposal in a Municipal Solid Waste Landfill Yes No Is sewage sludge from your facility placed in a municipal solid waste landfill? If sewage sludge is placed on more than one municipal solid waste landfill, attach additional pages as necessary. Landfilling is: The primary method of sludge disposal A back up method of sludge disposal Augusta Regional Landfill a. Landfill Name 585 b. Landfill Permit No. c.. Include an acceptance letter from the landfill. Incineration ☐ Yes ☑ No Is sewage sludge from your facility fired in a sewage sludge incinerator? Incineration is: The primary method of sludge disposal A back up method of sludge disposal a. Do you own or operate all sewage sludge incinerators in which sewage sludge from your facility is fired? ☐ Yes ☐ No If yes, provide the Air Registration No. If no, complete items b - d for each incinerator that you do not own or operate. b. Facility Name c. Air Registration No. d. Include an acceptance letter from the Incinerator. Class A Biosolids Yes No Do you produce Class A biosolids for land application or distribution and marketing? If yes, complete Part 2. ☐ Yes □ No Are Class A biosolids from your facility land applied in bulk? ☐ Yes ☐ No Do you sell or give away Class A biosolids in a bag or other container for application to the land? If yes, provide the VDACS certification number? 5. Class B Biosolids Yes No Do you produce Class B biosolids? If yes, complete Part 2. Yes V No Are Class B biosolids from your facility land applied land applied under the authorization of this VPDES Permit? If yes, complete Part 3. Land Application Under a Separate Permit Are biosolids from your facility land applied under the authorization of a permit other than your VPDES Permit? ✓ Yes No Complete items a - c for each VPA permit authorized to land apply biosolids from your facility. Permit No. a. Permittee Name VPA01566 Houff's Feed and Fertilizer c. Include copy of any information you provide to the Receiving VPDES or VPA Permittee to comply with the "notice and necessary information" requirement of 9VAC25-31-530 F.

| | VPDES Sewage Sludge Permit Application for Permit Reissuance | | |
|------------------|---|-----------------------------|---------------|
| Ŷ2 | art 2 – Biosolids Characterization (To be completed by all facilities that generate biosolids that are land appl | lied.) | |
| | Have there been changes to sludge treatment processes or storage facilities since the previous permit issuance/reissuance? | ☐ Yes | ☑ No |
| 2. | Do the biosolids generated under this permit that will be land applied meet one of the Class A pathogen requirements in 9VAC25-31-710 A 3 through A 8 or Class B pathogen requirements in 9VAC25-31-710 B 1 through B 4? | ✓ Yes | □No |
| | Identify the pathogen reduction option utilized to demonstrate compliance with the pathogen reductions requirements and proventation demonstrate compliance with the applicable alternative. | vide the dat | ta |
| 3. | Do the biosolids generated under this permit that will be land applied meet one of the vector attraction reduction requirements in 9VAC25-31-720 B 1 through B 10? | ✓ Yes | □No |
| | Identify the vector attraction reduction option utilized to demonstrate compliance with the vector attraction reductions required provide the data that demonstrate compliance with the applicable alternative. | ments and | • . |
| 4. | Do the biosolids to be land applied meet the ceiling/pollutant concentrations in 9VAC25-31-540 B? | ✓ Yes | ☐ No |
| | Has data from the most recent 3 samples for pH (S.U.), Percent Solids (%), Ammonium Nitrogen (mg/kg), Nitrate Nitrogen (mg/kg), Total Kjeldahl Nitrogen (mg/kg), Total Phosphorus (mg/kg), Total Potassium (mg/kg), Alkalinity as CaCO ₃ (mg/kg), Arsenic (mg/kg), Cadmium (mg/kg), Copper (mg/kg), Lead (mg/kg), Mercury (mg/kg), Nickel (mg/kg), Selenium (mg/kg), Zinc (mg/kg) been submitted to DEQ? The samples shall be no more than 4½ years old and each sampling date shall be at least 1 month apart. | ▼ Yes | □ No |
| _ | If no, provide the data with this application. | | |
| Pı | art 3 – Land Application of Class B Biosolids (To be completed by all facilities that land apply Class B biosol | lids.) | |
| | Provide to DEQ and to each locality in which biosolids are to be land applied, written evidence of financial responsibility. Ev responsibility shall be provided in accordance with 9VAC25-31-100 P 9. | | |
| 2. | For each site, provide a properly completed landowner agreement for each landowner, using the most current Land Application Biosolids Form (VPDES Sewage Sludge Permit Application Form – Attachment to Section C). | n Agreeme | :nt - |
| 3. | Are any new land application fields proposed at this reissuance? | ☐ Yes | □ No |
| | If yes, contact the DEQ Regional Office for additional submittal requirements. | | |
| 4, | For the currently permitted land application fields, are the previously submitted site booklets, maps and acreage accurate. | ☐ Yes | □ No |
| | If no, contact the DEQ Regional Office for additional submittal requirements. | • | |
| 5. | Does the facility's Biosolids Management Plan on file with DEQ include the following minimum information? | ☐ Yes | □ No |
| | a. An odor control plan that addresses the abatement of odors resulting from the storage and/or land application of biosoli | ids. | |
| | b. A description of the transport vehicles to be used. | | |
| | c. Procedures for biosolids offloading at the land application site including spill prevention, cleanup (including vehicle cleanup reclamation, and emergency notification and cleanup measures. | leaning), fic | eld |
| | A description of the land application equipment including procedures for calibrating equipment to ensure uniform distrappropriate loading rates. | ribution and | đ |
| | e. Procedures used to ensure that land application activities address notification requirements, signage requirements, slope operation limitations during periods of inclement weather, soil pH requirements, buffer zone requirements, and site rest | | ns, |
| | f. Any other information necessary to ensure compliance with the requirements of the Biosolids Program of the VPDES I (9VAC25-31-420 through 720). | Permit Reg | gulation |
| C | ertification | | |
| des wh bel | certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance signed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person of the persons directly responsible for gathering the information, the information is, to the best of my kelief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the imprisonment for knowing violations. | erson or per gnowledge a | ersons and |
| | Name and Official Title Kenneth J. Fanfoni, P.E., Executive Director | · | |
| | Signature by Manay The Deputy Executive | Di. | |
| | Telephone number / Email (540) 245-5670 / kfanfoni@co.augusta.va.us | | |
| | Date signed 6/3/14 | | |
| (B | ased on a review of this information, it may be necessary to submit additional information to meet other legal or technical review requirements.) | · · | |

Augusta County Service Authority

Fishersville Regional STP (VA0025291) TCLP Data

| | Fishersville | Fishersville | Fishersville |
|-----------------------|--------------|--------------|--------------|
| | 7/20/2011 | 8/14/2012 | 8/13/2013 |
| Parameter | (mg/L) | (mg/L) | (mg/L) |
| Arsenic | <0.500 | <0.500 | <0.500 |
| Barium | 0.034 | 0.045 | <1.00 |
| Benzene | < 0.050 | < 0.050 | < 0.050 |
| Cadmium | <0.050 | < 0.050 | < 0.050 |
| Carbon Tetrachloride | <0.050 | < 0.050 | <0.050 |
| Chlordane | < 0.00310 | < 0.00312 | <0.00312 |
| Chlorobenzene | < 0.050 | < 0.050 | < 0.050 |
| Chloroform | <0.050 | < 0.050 | < 0.050 |
| Chromium | <0.500 | < 0.500 | < 0.500 |
| o-Cresol | <0.024 | < 0.050 | < 0.023 |
| m/p-Cresol | <0.024 | < 0.050 | <0.023 |
| 2,4-D | <0.0098 | < 0.0100 | <0.00947 |
| 1,4-Dichlorobenzene | < 0.024 | < 0.050 | < 0.023 |
| 1,2-Dichloroethane | < 0.050 | < 0.050 | < 0.050 |
| 1,1-Dichloroethene | < 0.050 | <0.050 | < 0.050 |
| 2,4-Dinitrotoluene | < 0.024 | <0.050 | < 0.023 |
| Endrin | < 0.00025 | < 0.00025 | < 0.00025 |
| gamma-BHC | < 0.00012 | <0.00012 | < 0.00012 |
| Heptachlor Heptachlor | < 0.00012 | < 0.00012 | < 0.00012 |
| Heptachlor (+epoxide) | < 0.00012 | <0.00012 | < 0.00012 |
| Hexachlorobenzene | < 0.024 | < 0.050 | <0.023_ |
| Hexachlorobutadiene | < 0.024 | < 0.050 | < 0.023 |
| Hexachloroethane | <0.024 | < 0.050 | < 0.023 |
| Lead | <0,500 | < 0.500 | < 0.500 |
| Mercury | < 0.0020 | < 0.0020 | < 0.0020 |
| Methoxychlor | < 0.00124 | < 0.00125 | < 0.00125 |
| Methyl ethyl Ketone | < 0.500 | < 0.500 | <0.500 |
| Nitrobenzene | < 0.024 | < 0.050 | < 0.023 |
| Pentachlorophenol | < 0.024 | <0.050 | <0.023 |
| Pyridine | < 0.024 | < 0.050 | < 0.023 |
| Selenium | < 0.500 | <0.200 | <0.500 |
| Silver | < 0.100 | <0.100 | <0.100 |
| Tetrachloroethylene | < 0.050 | < 0.050 | < 0.050 |
| Toxaphene | < 0.00310 | < 0.00312 | <0.00312 |
| Trichloroethylene | < 0.050 | < 0.050 | < 0.050 |
| 2,4,5-Trichlorophenol | < 0.024 | < 0.050 | < 0.023 |
| 2,4,6-Trichlorophenol | < 0.024 | <0.050 | < 0.023 |
| 2,4,5-TP (Silvex) | < 0.0049 | < 0.00501 | < 0.00473 |
| Vinyl Chloride | < 0.050 | <0.050 | <0.050 |

Augusta County Service Authority

Fishersville Regional STP (VA0025291) Biosolids Data

| Ţ | Arsenic | Cadmium | Chromium | Copper | Lead | Mercury | Molybdenum | Nickel | Selenium | Zinc |
|--------------------|---------|---------|----------|--------|-------|---------|------------|--------|----------|-------|
| Date | mg/kg | mg/kg | mg/kg | mg/kg | mg/kg | mg/kg | mg/kg | mg/kg | mg/kg | mg/kg |
| 2011 | 5.0 | 1.0 | 49 | 595 | 15 | 2.8 | 19 | 15 | 7.0 | 555 |
| 2012 | 3.0 | 3.0 1.0 | 50 | 442 | 15 | 3.8 | 9 | 11 | 5.0 | 416 |
| 2013 | 5.0 | <2.0 | 54 | 527 | 14 | 1.9 | 8 | 17 | <5.0 | 561 |
| EPA Ceiling* | 75 | 85 | 3,000 | 4,300 | 840 | 57 | 75 | 4,000 | 250 | 7,500 |
| EPA Exceptional ** | 41 | 39 | 1,200 | 1,500 | 300 | 17 | N/A | 420 | 36 | 2,800 |

^{*} EPA Ceiling Concentration for Pollutants for all Sewage Sludge Applied to Land (mg/kg).

** EPA Pollutant Concentration for Exceptional Quality Sewage Sludge (mg/kg).

| | Analytical | Detection |
|------------|------------|---------------|
| Parameter | Method | Level (mg/kg) |
| Arsenic | SW 6010C | 1 |
| Cadmium | SW 6010C | 1 |
| Chromium | SW 6010C | 5 |
| Copper | SW 6010C | 1 |
| Lead | SW 6010C | 5 |
| Mercury | SW 7471B | 0.4 |
| Molybdenum | SW 6010C | 5 |
| Nickel | SW 6010C | 5 |
| Selenium | SW 6010C | 19 |
| Zinc | SW 6010C | 1 |

AUGUSTA COUNTY SERVICE AUTHORITY



18 GOVERNMENT CENTER LANE, P.O. BOX 859, VERONA, VIRGINIA 24482 (540) 245-5670 FAX: (540) 245-5684

May 29, 2014

Ms. Dawn Jeffries
Department of Environmental Quality
P.O. Box 3000
Harrisonburg, VA 22801-3000

RE: Acceptance of ACSA biosolids at the Augusta Regional Landfill

Dear Ms. Jeffries:

The Augusta Regional Landfill will accept biosolids from all the Augusta County Service Authority facilities as long as the waste meets the Solid Waste Management Regulation 9VAC-20-80 and our Solid Waste Facility Permit Number 585.

Our permit requires that biosolids contain no free liquids (must be able to pass a paint filter test) and have been stabilized. A maximum ratio of one (1) ton of biosolids per five (5) tons of solid waste per day will be accepted. The landfill currently has a daily average of 400 tons.

If you have any questions concerning this matter, please call me at (540) 337-2857.

Sincerely,

Greg Thomasson, P.E.

Director of Solid Waste Management

Xc: Jean Andrews, Lab and Compliance Manager



VIRGINIA POLLUTION DISCHARGE ELIMINATION SYSTEM

MUNICIPAL EFFLUENT AND BIOSOLIDS

NON-HAZARDOUS WASTE DECLARATION

For waste to be land applied, the owner of the treatment works, as defined by 9 VAC 25-31-10, must sign the following statement:

I certify that the waste from the facility identified below and described in this application is non-hazardous and not regulated under the Resource Conservation and Recovery Act or the Virginia Hazardous Waste Management Regulation (9 VAC 20-60).

| Facility Name: Fishersville Regional WWTP | |
|--|------------------|
| VPDES, NPDES or State Permit Number: VA0025291 | |
| by Afglade To Dep. Exec. Dir. (Signature of Owner) | 6/3/14 (Date) |
| Kenneth J. Fanfoni | |
| (Printed Name of Owner) | |
| Executive Director (Title) | |
| Generator Contact Information | |
| Jeff May, Chief Operator (Name and Title) | |
| 887 Sangers Lane, Staunton VA 24401 | |
| (Address) | |
| 540-487-9441 | |
| (Phone Number) | |
| jmay@co.augusta.va.us | |
| (Email Address) | |

VIRGINIA DEQ NO EXPOSURE CERTIFICATION FOR EXCLUSION FROM VPDES STORM WATER PERMITTING

Submission of this **No Exposure Certification** constitutes notice that the entity identified below does not require permit authorization for its storm water discharges associated with industrial activity under the VPDES Permit Program due to the existence of a condition of **No Exposure**.

A condition of **No Exposure** exists at an industrial facility when all industrial materials and activities are protected by a storm resistant shelter to prevent exposure to rain, snow, snowmelt, and/or runoff. Industrial materials or activities include, but are not limited to, material handling equipment or activities, industrial machinery, raw materials, intermediate products, by-products, final products, or waste products. Material handling activities include the storage, loading and unloading, transportation, or conveyance of any raw material, intermediate product, final product or waste product. A storm resistant shelter is not required for the following industrial materials and activities:

- drums, barrels, tanks, and similar containers that are tightly sealed, provided those containers are not deteriorated and do not leak. "Sealed" means banded or otherwise secured and without operational taps or valves;
- adequately maintained vehicles used in material handling; and
- final products, other than products that would be mobilized in storm water discharges (e.g., rock salt).

A No Exposure Certification must be provided for each facility qualifying for the No Exposure exclusion. In addition, the exclusion from VPDES permitting is available on a facility-wide basis only, not for individual outfalls. If any industrial activities or materials are or will be exposed to precipitation, the facility is not eligible for the No Exposure exclusion.

By signing and submitting this No Exposure Certification form, the entity below is certifying that a condition of No Exposure exists at its facility or site, and is obligated to comply with the terms and conditions at 9 VAC 25-31-120 E (the VPDES Permit Regulation).

| | Permit Regulation). |
|------------|---|
| | Please Type or Print All Information. ALL INFORMATION ON THIS FORM MUST BE PROVIDED. |
| 1. | Facility Operator Information |
| | Name: Augusta County Service Authority |
| | Mailing Address: PO Box 859 |
| • | City: Verona State: VA Zip: 24482 Phone: 540-245-5670 |
| 2. | Facility/Site Location Information |
| | Facility Name: Fishersville Regional WWTP |
| | Address: 887 Sangers Lane |
| | City: Staunton State: VA Zip: 24401 |
| | County Name: Augusta |
| | Latitude: 38° 07' 38.7 Longitude: 78° 59' 47.3" |
| 3. | Was the facility or site previously covered under a VPDES storm water permit? Yes \(\bigcup \) No \(\bigcup \) |
| | If "Yes", enter the VPDES permit number: |
| 4. | SIC/Activity Codes: Primary: 4952 Secondary (if applicable): |
| 5 . | Total size of facility/site associated with industrial activity: 13.4 acres |
| 6. | Have you paved or roofed over a formerly exposed pervious area in order to qualify for the No Exposure exclusion? Yes No 🔀 |
| | If "Yes", please indicate approximately how much area was paved or roofed. Completing this question does not disqualify you for the No Exposure exclusion. However, DEQ may use this information in considering whether storm water discharges from your site are likely to have an adverse impact on water quality, in which case you could be required to obtain permit coverage. |
| | Less than one acre One to five acres More than five acres |

| • • | | Josuit Ci | HOVRIDA | | |
|---|---|--|---|---|--|
| | che | ck either | ne following materials or activities exposed to precipitation, now or in the foreseeable "Yes" or "No" in the appropriate box.) If you answer "Yes" to any of these question. | | |
| | | , | | Yės | No |
| | (1) | - | oring or cleaning industrial machinery or equipment, and areas where residuals ng, storing or cleaning industrial machinery or equipment remain and are exposed water | | |
| | (2) | Materials | or residuals on the ground or in storm water inlets from spill/leaks | | X |
| | (3) | Materials | or products from past industrial activity | | |
| | (4) | Material | handling equipment (except adequately maintained vehicles) | | \boxtimes |
| | (5) | Materials | or products during loading/unloading or transporting activities | <u> </u> | |
| | (6) | | or products stored outdoors (except final products intended for outside use [e.g., i] where exposure to storm water does not result in the discharge of pollutants) | | |
| | · (7) | Materials similar co | contained in open, deteriorated or leaking storage drums, barrels, tanks, and ontainers | | |
| | (8) | Materials discharge | or products handled/stored on roads or railways owned or maintained by the er | | |
| | (9) | Waste m | aterial (except waste in covered, non-leaking containers [e.g., dumpsters]) | | |
| | (10) | Application | on or disposal of process wastewater (unless otherwise permitted) | | |
| | (11) | | te matter or visible deposits of residuals from roof stacks and/or vents not otherwise t (i.e., under an air quality control permit) and evident in the storm water outflow | | |
| 8. | Cer | tification | Statement | | |
| ex wa | osui ter c | re and ob ontaminat | enalty of law that I have read and understand the eligibility requirements for claiming a staining an exclusion from VPDES storm water permitting; and that there are no disc sed by exposure to industrial activities or materials from the industrial facility identified and under 9 VAC 25-31-120 E 2). | harges | of storm |
| En api per rec wa I co acc sult in cor | viron olicat form juest teria: ertify corda omitte gathe mplet | mental Que inspection I under seconder per under Basecering the ing an a | I am obligated to submit a No Exposure Certification form once every five years to the uality and, if requested, to the operator of the local MS4 into which this facility disterstand that I must allow the Department, or MS4 operator where the discharge is into instead that I must obtain of no exposure and to make such inspection reports public stand that I must obtain coverage under a VPDES permit prior to any point source diswith industrial activity from the facility. Inalty of law that this document and all attachments were prepared under my direction a system designed to assure that qualified personnel properly gathered and evaluated upon my inquiry of the person or persons who manage the system, or those persons information, the information submitted is to the best of my knowledge and belief trustiant there are significant penalties for submitting false information, including the tor knowing violations. | scharge the loca ly availa scharge or supe d the inf directly ie, accu | s (where al MS4, to able upon of storm ervision in formation involved arate and |
| , | | | | | |
| | Pŗin | t Name: | Kenneth J. Fanfoni | | _ |
| | Prin | t Title: | Executive Director | | _ |
| | Sign | nature: | by Oth Really The Depty Reservice Direction | | - |
| | Date | e: | <u> 4 3 14</u> | | |
| | 11 | | For Department of Environmental Quality Use Only | | |
| Acc | epted/ | Not Accepte | od by: Date : | | |

PUBLIC NOTICE BILLING INFORMATION

I hereby authorize the Department of Environmental Quality to have the cost of publishing a public notice billed to the Agent/Department shown below. The public notice will be published once a week for two consecutive weeks in <u>the Staunton News Leader</u> in accordance with 9 VAC 25-31-290.C.2.

| Agent/Department to be billed: | Augusta County Service | Authority |
|---|---|---------------|
| Owner: | | . |
| Agent/Department Address: | PO Box 859 | |
| • | Verona V | /A 24482 |
| Agent's Telephone No.: | 540-2 | 245-5670 |
| Printed Name: | Ker | n Fanfoni |
| Authorizing Agent - Signature: | by Coffler of Depty 1 | Executive Di |
| Date: | 6/3/14 | 6/5/09 |
| For facilities that will appear in the Wind | chester Star or Daily Progress. | |
| Please check the box if you have ver an acceptable credit account with the | rified with the Winchester Star or Daily Progress hem. | that you have |
| | above information and return this form within 14 D. Box 3000, Harrisonburg, Virginia 22801. | days to Eric |
| VPDES Permit No. VA0025291 Facility Name Fishersville Regional S | STP | |

VPDES/VPA Permit Billing Information Form for Annual Maintenance Fee

| Facility Name: | Fishersville Regional WWTP |
|-----------------------|----------------------------------|
| Permit Number: | VA00025291 |
| Owner Name: | Augusta County Service Authority |
| Owner Address: | PO Box 859 |
| | Verona VA 24482 |
| | |
| Billing Contact Name: | Kenneth J. Fanfoni |
| Title: | Executive Director |
| Phone Number: | 540-245-5670 |
| E-Mail Address: | kfanfoni@co.augusta.va.us |
| | |